

# GUIDELINES FOR RETURN TO PLAY AFTER A CONCUSSION

## NEVER RETURN TO PLAY IF YOU STILL HAVE SYMPTOMS!

A player who returns to active play before full recovery from the first concussion is at high risk of sustaining another concussion, with symptoms that may be increased and prolonged.

### HOW LONG DOES THIS PROCESS TAKE?

These steps do not correspond to days! It may take many days to progress through one step, especially if the concussion is severe. As soon as symptoms appear, the player should return to rest until symptoms have resolved and wait at least one more day before attempting any activity. The only way to heal a brain is to rest it.

### HOW DO I FIND THE RIGHT DOCTOR?

When dealing with concussions, it is important to see a doctor who is knowledgeable in concussion management. This might include your physician or someone such as a sports medicine specialist. Your family doctor maybe required to submit a referral to see a specialist. Contact the Canadian Academy of Sport and Exercise Medicine (CASEM) to find a sports medical physician in your area. Visit [www.casm-acms.org](http://www.casm-acms.org) for more information. You can also refer your doctor to [parachutecanada.org](http://parachutecanada.org) for more information.

### WHO DO THESE GUIDELINES APPLY TO?

These guidelines were developed for children over the age of 10; those younger may require special guidelines, and more conservative treatment and care. Return to Play Guidelines should be at the discretion of the physician.

### WHAT IF MY SYMPTOMS RETURN DURING THIS PROCESS?

Sometimes these steps can cause symptoms of a concussion to return. This means that the brain has not yet healed, and needs more rest. If any signs or symptoms return during the Return To Play process, they should stop the activity and rest until symptoms have resolved. The player must be re-evaluated by a physician before trying any activity again. Remember, symptoms may return later that day or the next, not necessarily during the activity!